

# COLUMNS & PORCH POSTS



# COLUMN SETS

PL PREMIUM ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

SPECTIS RESERVES THE RIGHT TO HOLLOW OUT BACK OF ANY PRODUCTS WITHOUT NOTICE.

**SMOOTH TAPERED WITH NECK RING**



**CLM 100  
STRUCTURAL  
COLUMN**

**COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.**

These Spectis Columns are available as follows:

Structural column with a galvanized steel pipe inside ( SC )

See page 173 and 174 for column installation instructions.

**SMOOTH TAPERED COLUMN WITH NECK RING**

Product Number	Column Size	Base Diameter	Top Diameter	Column Height	Pipe Height
CLM 100-103	8"	7 5/8"	6 3/8"	54 1/2"	60"
CLM 100-106	8"	7 5/8"	6 3/8"	90 1/2"	96"
CLM 100-107	8"	7 5/8"	6 3/8"	114"	120"
CLM 100-100	10"	9 5/8"	8 7/16"	90 1/2"	96"
CLM 100-101	10"	9 5/8"	8 7/16"	114"	120"
CLM 100-108	12"	11 5/8"	9 13/16"	114"	120"

**SMOOTH TAPERED COLUMN**

Product Number	Column Size	Base Diameter	Top Diameter	Column Height	Pipe Height
CLM 110-101	8"	7 5/8"	6 3/8"	54 1/2"	60"

**FLUTED TAPERED COLUMN**

Product Number	Column Size	Base Diameter	Top Diameter	Column Height	Pipe Height
CLM 200-103	8"	7 5/8"	6 3/8"	90 1/2"	96"
CLM 200-104	10"	9 5/8"	8 7/16"	90 1/2"	96"
CLM 200-105	10"	9 5/8"	8 7/16"	102"	108"
CLM 200-106	12"	11 5/8"	9 13/16"	114"	120"
CLM 200-100	8"	7 1/2"	6"	71 1/2"	77 1/2"
CLM 200-101	10"	9 5/8"	8 5/8"	108"	114"
CLM 200-102	10"	9 3/8"	8 5/8"	97"	103"

**FLUTED TAPERED**



**CLM 200  
STRUCTURAL  
COLUMN**

**ROPE COLUMN**



**CLM 400  
STRUCTURAL  
COLUMN**



©Tom Redfield Productions

**ROPE COLUMN**

Product Number	Column Size	Base Diameter	Top Diameter	Column Height	Pipe Height
CLM 400-100	3"	3"	86 1/2"	90 1/2"	102 1/2"
CLM 400-101	8"	8"	96"	90 1/2"	112"

- Maximum safe load 10,000 pounds comes with hardware kit.
- Load bearing column with 4 1/2" O.D. (outside diameter) galvanized steel pipe encased in polyurethane.

**SMOOTH TAPERED**



**CLM 110  
STRUCTURAL  
COLUMN**


1 • 8 0 0 • 6 8 5 • 9 9 8 1



# COLUMN SETS


COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

## TUSCAN CAP & BASE




CB 100

## ROMAN DORIC CAP & BASE




CB 200

## CORINTHIAN CAP



For 8" Tapered Column Only  
CB 500

## SCAMOZZI CAP



CB 700

## TUSCAN CAP & BASE FOR TAPERED COLUMN

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 100-144	8" Cap	10 1/8" x 10 1/8" x 3"	6 7/16"
CB 100-145	8" Base	10 7/8" x 10 7/8" x 4 1/4"	7 11/16"
CB 100-146	10" Cap	12 3/8" x 12 3/8" x 3 1/2"	8 1/2"
CB 100-147	10" Base	12 7/8" x 12 7/8" x 5 1/4"	9 3/4"
CB 100-148	12" Cap	14 1/8" x 14 1/8" x 3 1/2"	9 7/8"
CB 100-149	12" Base	15 5/8" x 15 5/8" x 6"	11 3/4"

## ROMAN DORIC CAP & BASE FOR TAPERED COLUMN

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 200-124	8" Cap	10 1/8" x 10 1/8" x 3 1/8"	6 7/16"
CB 200-125	8" Base	10 3/4" x 10 3/4" x 4"	7 11/16"
CB 200-126	10" Cap	12 3/8" x 12 3/8" x 4"	8 1/2"
CB 200-127	10" Base	13 1/2" x 13 1/2" x 5"	9 3/4"
CB 200-128	12" Cap	15 1/8" x 15 1/8" x 4"	9 7/8"
CB 200-129	12" Base	16" x 16" x 5 3/8"	5 3/8"

## CORINTHIAN CAP

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 500-143	Cap	12 1/2" x 12 1/2" x 12 1/8"	5"

## SCAMOZZI CAP

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 700-138	8" Cap	11 5/16" x 11 5/16" x 3 1/4"	6 7/16"
CB 700-139	10" Cap	14 1/2" x 14 1/2" x 3 3/4"	8 1/2"
CB 700-140	12" Cap	17 1/2" x 17 1/2" x 4 1/4"	9 7/8"

## IONIC CAP

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 800-100	8" Cap	9" x 9" x 3 1/2"	6 7/16"
CB 800-101	10" Cap	11 1/2" x 11 1/2" x 4 1/4"	8 1/2"
CB 800-102	12" Cap	13 7/8" x 13 7/8" x 5"	9 7/8"

## ROPE CAP & BASE

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 900-150	Cap	12" x 12" x 11 3/8"	4 1/2"
CB 900-151	Base	10 1/2" x 10 1/2" x 7 3/4"	4 1/2"


## ATTIC BASE

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 600-119	8" Base	11" x 11" x 5 1/4"	7 11/16"
CB 600-120	10" Base	12 7/8" x 12 7/8" x 6 1/4"	9 3/4"
CB 600-121	12" Base	15 3/8" x 15 3/8" x 7 1/4"	11 3/4"

## STANDARD CAP & BASE


Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 300-133	8" Cap	8 5/8" x 8 5/8" x 3 1/8"	6 7/16"
CB 300-132	8" Base	10 1/4" x 10 1/4" x 3 3/8"	7 11/16"
CB 300-134	10" Cap	11" x 11" x 3 1/2"	8 1/2"
CB 300-135	10" Base	12 1/4" x 12 1/4" x 3 3/4"	9 3/4"
CB 300-136	12" Cap	12 3/4" x 12 3/4" x 3 3/4"	9 7/8"
CB 300-137	12" Base	14 1/2" x 14 1/2" x 4"	11 3/4"

## IONIC CAP




CB 800

## ROPE CAP & BASE




CB 900

## ATTIC BASE



CB 600

## STANDARD CAP & BASE



CB 300



# MISCELLANEOUS COLUMNS, CAPS & BASES

PL PREMIUM ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

## SMOOTH TAPERED WITH NECK RING



CLM 100  
NON STRUCTURAL  
COLUMN

These Spectis Columns are available as follows:

1. Non structural full round column. ( NSFC )
2. Non structural half column split vertically in half and come with a spline to attach them together. ( NSHC )

### SMOOTH TAPERED COLUMN WITH NECK RING

Product Number	Column Size	Base Diameter	Top Diameter	Column Height
CLM 100-102	12"	11 7/8"	10 1/8"	86"
CLM 100-105	7"	7"	6"	66 3/4"

### SMOOTH TAPERED COLUMN

Product Number	Column Size	Base Diameter	Top Diameter	Column Height
CLM 110-100	10"	9 5/8"	8 1/2"	72"


### SMOOTH ENTASIS COLUMN WITH NECK RING

Product Number	Column Size	Base Diameter	Top Diameter	Column Height
CLM 120-100	14"	14"	12"	126"
CLM 120-101	10"	10 1/8"	8"	144"

### FLUTED ENTASIS COLUMN


Product Number	Column Size	Base Diameter	Top Diameter	Column Height
CLM 220-100	12"	12"	10 1/2"	100"
CLM 220-101	14"	14"	12"	94 3/4"

## SMOOTH ENTASIS WITH NECK RING



CLM 120  
NON STRUCTURAL  
COLUMN

## SMOOTH TAPERED



CLM 110  
NON STRUCTURAL  
COLUMN



Photo above illustrates the following Spectis products: baluster BAL 2059-27, curved rail RAL 2100 top & bottom, newel post NP 2212, newel cap NC 2319, custom header CSH 1252 and mouldings MD 1141, MD 1352, and MD 1133.

### FINISHING

All Spectis' products are shipped "double primed" with an exterior grade latex and are ready for use. We recommend final finishing after installation is complete for the most consistent appearance possible. Please see "finishing" recommendations (on page 175) for more information.



## FLUTED ENTASIS



CLM 220  
NON STRUCTURAL  
COLUMN



# MISCELLANEOUS COLUMNS, CAPS & BASES

COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

## SMOOTH STRAIGHT



**CLM 300**  
NON STRUCTURAL  
COLUMN

## SMOOTH STRAIGHT COLUMN

Product Number	Column Size	Base Diameter	Top Diameter	Height
CLM 300-103	6"	6"	N/A	These are available in 8', 10' or 12' heights.
CLM 300-104	8"	8"	N/A	
CLM 300-100	10"	10"	N/A	
CLM 300-101	12"	12"	N/A	
CLM 300-102	14"	14"	N/A	


## SMOOTH STRAIGHT COLUMN

Product Number	Column Size	Base Diameter	Top Diameter	Column Height
CLM 1100-100	22"	21 3/4"	N/A	116 1/4"





*This historic home illustrates the use of the following Spectis products: baluster BAL 2027-14, rail RAL 2105 top & bottom, custom shutters and columns, newel post NP 2211 and newel cap NC 2334.*

## SMOOTH STRAIGHT



**CLM 1100**  
NON STRUCTURAL  
COLUMN

## TUSCAN CAP & BASE FOR TAPERED COLUMN



**CB 100**


## TUSCAN CAP & BASE FOR TAPERED COLUMN

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 100-109	8" Base	10 3/4" x 10 3/4" x 4 3/8"	8 3/8"
CB 100-111	10" Base	13 1/2" x 13 1/2" x 5 1/4"	9 5/8"
CB 100-112	12" Cap/Base	18" x 18" x 6 3/8"	12"
CB 100-138	10" Cap	12 7/8" x 12 7/8" x 4 5/8"	8 1/2"
CB 100-139	12" Cap	17" x 17" x 4 5/8"	12 1/4"
CB 100-143	14" Base	18 1/8" x 18 1/8" x 6"	14"
CB 100-152	6" Base	8 5/8" x 8 5/8" x 4 3/8"	6"

## ROMAN DORIC CAP & BASE

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 200-108	10" Cap	12" x 12" x 3 5/8"	8 3/4"
CB 200-122	Cap	21 3/4" x 21 3/4" x 6"	15"
CB 200-123	Base	24" x 24" x 9 3/4"	18 1/4"

## ROMAN DORIC CAP & BASE



**CB 200**

[www.spectis.com](http://www.spectis.com)




# MISCELLANEOUS COLUMNS, CAPS & BASES

PL PREMIUM ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

COLUMN SHAFTS, CAPS & BASES SOLD SEPARATELY.

SCAMOZZI CAP



CB 700



The following Spectis products are shown here: BAL 2000-25, custom columns, curved rail RAL 2100T & B, NP 2211 and NC 2308.

### SCAMOZZI CAP

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 700-136	Cap	10" x 10" x 3 5/8"	5 1/2"
CB 700-137	Cap	16 1/4" x 16 1/4" x 4 3/4"	9 1/4"

### CORINTHIAN CAP

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 500-134	Cap	18 3/4" x 18 3/4" x 18 1/4"	11" square
CB 500-135	Cap	21 1/2" x 21 1/2" x 21"	13 1/2" round
CB 500-142	Cap	24" x 24" x 18"	14" square

### ATTIC BASE

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 600-118	12" Base	16 1/8" x 16 1/8" x 6 3/4"	12"

### STANDARD CAP & BASE

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 300-106	Cap	9 3/8" x 9 3/8" x 2"	6 7/8"
CB 300-107	Cap	10" x 10" x 3 1/8"	7 1/4"
CB 300-110	Cap	10" x 10" x 4"	7 3/4"
CB 300-119	Cap	12" x 12" x 3"	8 7/16"


### STANDARD CAP & BASE

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 400-101	Cap/Base	16 1/2" x 16 1/2" x 2 3/4"	14"
CB 400-102	Cap/Base	14 1/2" x 14 1/2" x 2 3/4"	12"
CB 400-103	Cap/Base	12 1/2" x 12 1/2" x 2 3/4"	10"
CB 400-104	Cap/Base	10 1/2" x 10 1/2" x 2 3/4"	8"
CB 400-105	Cap/Base	8" x 8" x 2 3/4"	6"

### STANDARD CAP & BASE

Product Number	Cap or Base	Cap / Base Dimensions	Hole Size
CB 410-100	Cap/Base	6 7/8" x 6 7/8" x 4"	6"

ATTIC BASE





CB 600

CORINTHIAN CAP




CB 500

STANDARD CAP & BASE





CB 300

STANDARD CAP & BASE



CB 400

STANDARD CAP & BASE



CB 410



# COLUMNS & PORCH POSTS



**SMOOTH BOX COLUMN**  
SBC

**SMOOTH BOX COLUMN WITH ALUMINUM INSERT**  
SBCS



## BOX COLUMNS

**FLUTED BOX COLUMN**  
FBC

**FLUTED BOX COLUMN WITH ALUMINUM INSERT**  
FBCS



Photo above illustrates the use of the following Spectis products: baluster BAL 2000-25, rails RAL 2100T & B, custom columns, newel post NP 2211 and newel cap NC 2308.



Spectis products shown in photo above are: baluster BAL 2018, rails RAL 2110T, RAL 2103B, custom newel post and column.

### SBC & FBC COLUMNS

- Available in two halves or assembled in one piece.
- Column is decorative (non supporting) however can be wrapped around an existing support.

### SBCS & FBCS COLUMNS

- Comes complete with hardware kit
- Load bearing column with 4 1/2" O.D. (outside diameter) galvanized steel pipe encased in polyurethane.
- Maximum safe load 10,000 pounds


## BOX COLUMNS

PRODUCT NUMBER		STYLE		HEIGHT	BOX DIMENSION	
DECORATIVE	STRUCTURAL				BASE SIZE	COLUMN SIZE
SBC 860	SBCS 860	Smooth	60"	8" x 8"	6" x 6"	
SBC 896	SBCS 896	Smooth	96"	8" x 8"	6" x 6"	
SBC 8120	SBCS 8120	Smooth	120"	8" x 8"	6" x 6"	
SBC 8144	SBCS 8144	Smooth	144"	8" x 8"	6" x 6"	
SBC 1060	SBCS 1060	Smooth	60"	10 1/2" x 10 1/2"	8" x 8"	
SBC 1096	SBCS 1096	Smooth	96"	10 1/2" x 10 1/2"	8" x 8"	
SBC 10120	SBCS 10120	Smooth	120"	10 1/2" x 10 1/2"	8" x 8"	
SBC 10144	SBCS 10144	Smooth	144"	10 1/2" x 10 1/2"	8" x 8"	
FBC 860	FBCS 860	Fluted	60"	8" x 8"	6" x 6"	
FBC 896	FBCS 896	Fluted	96"	8" x 8"	6" x 6"	
FBC 1060	FBCS 1060	Fluted	60"	10 1/2" x 10 1/2"	8" x 8"	
FBC 1096	FBCS 1096	Fluted	96"	10 1/2" x 10 1/2"	8" x 8"	



# COLUMNS & PORCH POSTS

## PORCH POSTS




- 1 PP 3200**
  - 5 1/4" projection
  - 5 1/4" width
  - 9' height
- 2 PP 3201**
  - 5 1/4" projection
  - 5 1/4" width
  - 8' height
- 3 PP 3202**
  - 5 1/2" projection
  - 5 1/2" width
  - 10'6" height
- 4 PP 3203**
  - 5 3/8" projection
  - 5 3/8" width
  - 8' 11 1/2" height

- Load bearing porch post with 2" O.D. galvanized steel pipe encased in polyurethane
- Maximum safe load 3,500 pounds
- Porch posts installation instructions on page 173.
- O.D. refers to outside diameter.



CUSTOM CORNER PILASTERS

## LAMP POSTS



- LP 3700**
    - 5 1/2" bottom
    - 3 1/2" top
    - 8' height
- Lamp posts come with a 3" O.D. galvanized steel pipe extending 1 3/4" from the top to attach the light fixture to. (light fixture not included)







See chart on page 62

# COLUMNS & PORCH POSTS


## PILASTERS & COLUMNS




**PC 100-100**  
Pilaster  
**PC 100-200**  
Column




**PC 200-100**  
Pilaster  
**PC 200-200**  
Column




**PC 300-100**  
Pilaster  
**PC 300-200**  
Column



**PC 400-100**  
Pilaster  
**PC 400-200**  
Column  
**PC 400-101**  
Pilaster  
**PC 400-201**  
Column



**PC 500-100**  
Pilaster  
**PC 500-200**  
Column  
**PC 500-101**  
Pilaster  
**PC 500-201**  
Column



**PC 600-100**  
Pilaster  
**PC 600-200**  
Column

[www.spectis.com](http://www.spectis.com)



# COLUMNS & PORCH POSTS

PL PREMIUM ADHESIVE MUST BE USED ON ALL BEDDING/BUTT JOINTS.

## PILASTERS & COLUMNS

PRODUCT NUMBER	PILASTER OR COLUMN	CAP DIMENSION			BASE DIMENSION			PANEL DIMENSION			TOTAL HEIGHT
		Width	Height	Projection	Width	Height	Projection	Width	Height	Projection	
PC 100-100	PILASTER	18 1/2"	5 1/2"	3 1/2"	20"	1' 9"	4 3/8"	14 5/8"	8' 3"	1 5/8"	10' 5 1/2"
PC 100-200	COLUMN	18 1/2" x 18 1/2"			20" x 20"			14 5/8" x 14 5/8"			10' 5 1/2"
PC 200-100	PILASTER	44"	14 7/8"	16 1/2"	41"	18"	15"	33"	5' 2 1/2"	11"	7' 11 1/4"
PC 200-200	COLUMN	44" x 44"			41" x 41"			33" x 33"			7' 11 1/4"
PC 300-100	PILASTER	21 1/2"	8 1/2"	6 1/8"	24 3/8"	21 1/2"	7 1/2"	15 1/4"	7' 8 1/2"	2"	10' 2 1/2"
PC 300-200	COLUMN	21 1/2" x 21 1/2"			24 3/8" x 24 3/8"			15 1/4" x 15 1/4"			10' 2 1/2"
PC 400-100	PILASTER	11 5/8"	6 1/2"	2 1/4"	11 1/2"	1' 2"	2 1/4"	10"	7' 1/2"	1 1/2"	8' 9"
PC 400-200	COLUMN	11 5/8" x 11 5/8"			11 1/2" x 11 1/2"			10" x 10"			8' 9"
PC 400-101	PILASTER	17 5/8"	6 1/2"	2 1/4"	17 1/2"	1' 2"	2 1/8"	16"	7' 10"	1 3/8"	8' 8 1/2"
PC 400-201	COLUMN	17 5/8" x 17 5/8"			17 1/2" x 17 1/2"			16" x 16"			8' 8 1/2"
PC 500-100	PILASTER	-	-	-	-	-	-	20"	7' 3"	1 3/4"	7' 3"
PC 500-200	COLUMN	-	-	-	-	-	-	20" x 20"		-	7' 3"
PC 500-101	PILASTER	-	-	-	-	-	-	6"	5' 6"	1 3/4"	5' 6"
PC 500-201	COLUMN	-	-	-	-	-	-	6' x 6"		-	5' 6"
PC 600-100	PILASTER	30"	8"	6"	33"	27 1/2"	7 1/2"	24"	23'	2 1/4"	25' 11 5/8"
PC 600-200	COLUMN	30" x 30"			33" x 33"			24" x 24"			25' 11 5/8"



Photo above illustrates the following Spectis products: blocks BL 2568, baluster BAL 2047, custom arch with flankers, sunburst HCS 4825, rails RAL 2106T, RAL 2103B, newel post NP 2200, newel cap NC 2305, and moulding MD 1221.

1 • 8 0 0 • 6 8 5 • 9 9 8 1

